

MAX7REK TYRES

CONFIDENCE IN EVERY MILE.

PRODUCT CATALOG

MAX7REK



Tire Direct 
La nueva generación



TIRE DIRECT



/TIRE_DIRECT



/TIREDIRECTMX



TIRE DIRECT

Tire Direct 
La nueva generación

CONTENTS

Run-Flat TYRES 01

PCR TYRES

| | |
|-------------------|----|
| MAXIMUS M2..... | 03 |
| MAXIMUS M1..... | 04 |
| MAXIMUS DS01..... | 06 |
| FORTIS T5..... | 07 |
| MAXIMUS M9..... | 08 |
| SU-830..... | 08 |

SUV TYRES

| | |
|-------------------|----|
| MUD TRAC..... | 09 |
| HILL TRACKER..... | 11 |
| SU-800..... | 11 |
| SIERRA S6..... | 13 |

All Seasons TYRES

| | |
|-----------------|----|
| RELAMAX 4S..... | 15 |
|-----------------|----|

LTR TYRES

| | |
|-------------|----|
| MK 700..... | 16 |
| SU-810..... | 17 |

MAXIMUS M1 RFT

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|--------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 30 | 265/30ZRF19 | 93 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 275/30ZRF19 | 96 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 235/35ZRF19 | 91 | W | - | - | XL | 8.0 | 49 | 8½J |
| 35 | 245/35ZRF19 | 93 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 265/35ZRF18 | 97 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 275/35ZRF19 | 100 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 275/35ZRF20 | 102 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 225/40ZRF18 | 92 | W | - | - | XL | 7.5 | 49 | 8J |
| 40 | 235/40ZRF18 | 95 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 245/40ZRF18 | 97 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/40ZRF19 | 98 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/40ZRF20 | 99 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 255/40ZRF18 | 95 | W | - | - | | 7.5 | 44 | 9J |
| | 275/40ZRF19 | 101 | W | - | - | | 7.5 | 44 | 9½J |
| 45 | 225/45ZRF17 | 94 | W | - | - | XL | 8.0 | 49 | 7½J |
| | 225/45ZRF18 | 95 | W | - | - | XL | 7.5 | 49 | 7½J |
| | 245/45ZRF18 | 100 | W | - | - | XL | 8.0 | 49 | 8J |
| | 245/45ZRF19 | 102 | W | - | - | XL | 7.5 | 49 | 8J |
| | 255/45ZRF18 | 99 | W | - | - | | 7.5 | 44 | 8½J |
| 50 | 205/50RF17 | 93 | V | - | - | XL | 8.0 | 46 | 6½J |
| | 225/50RF17 | 98 | V | - | - | XL | 8.0 | 49 | 7J |
| | 245/50RF18 | 100 | V | - | - | | 8.0 | 44 | 7½J |
| | 255/50RF19 | 107 | V | - | - | XL | 7.5 | 49 | 8J |
| | 195/55RF16 | 87 | V | - | - | | 7.0 | 44 | 6J |
| 55 | 205/55RF16 | 94 | V | - | - | XL | 8.0 | 49 | 6½J |
| | 205/55RF17 | 91 | V | - | - | | 7.5 | 44 | 6½J |
| | * 225/55RF16 | 95 | V | - | - | | 8.0 | 44 | 7J |
| | 225/55RF17 | 101 | V | - | - | XL | 8.0 | 49 | 7J |
| 60 | 205/60RF16 | 92 | H | - | - | | 7.0 | 36 | 6J |

SIERRA S6 RFT

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 40 * | 305/40RF20 | 112 | V | - | - | XL | 7.5 | 49 | 11J |
| 45 * | 275/45ZRF20 | 110 | W | - | - | XL | 7.5 | 42 | 9J |
| 50 | 225/50RF18 | 95 | V | - | - | | 7.5 | 44 | 7J |
| | 235/50RF18 | 101 | V | - | - | XL | 7.5 | 46 | 7½J |
| 55 | 235/55RF19 | 101 | V | - | - | | 7.5 | 44 | 7½J |
| | 255/55RF18 | 105 | V | - | - | | 8.5 | 36 | 8J |

FORTIS T5 RFT

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 30 | 275/30ZRF20 | 97 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 245/35ZRF20 | 95 | W | - | - | XL | 8.0 | 49 | 8½J |
| 35 | 295/35ZRF21 | 107 | W | - | - | XL | 8.0 | 49 | 10½J |
| | 315/35RF20 | 110 | V | - | - | XL | 8.0 | 49 | 11J |
| 40 | 275/40RF20 | 106 | V | - | - | XL | 8.0 | 49 | 9½J |
| 45 | 255/45RF20 | 105 | V | - | - | XL | 8.0 | 49 | 8½J |
| | 275/45RF21 | 110 | V | - | - | XL | 7.5 | 49 | 9J |
| 50 | 245/50RF19 | 105 | V | - | - | XL | 8.0 | 49 | 7½J |
| 55 | 235/55RF20 | 105 | H | - | - | XL | 7.5 | 49 | 7½J |

MAXIMUS M2 RFT

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|--------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 35 | 255/35ZRF19 | 96 | W | - | - | XL | 7.0 | 49 | 9J |
| | 225/40ZRF18 | 92 | W | - | - | XL | 7.0 | 49 | 8J |
| 40 | 225/40ZRF19 | 89 | W | - | - | | 7.0 | 44 | 8J |
| | 245/40ZRF18 | 97 | W | - | - | XL | 7.0 | 49 | 8½J |
| | 255/40ZRF19 | 100 | W | - | - | XL | 7.0 | 49 | 9J |
| 45 | 225/45ZRF17 | 94 | W | - | - | XL | 7.0 | 49 | 7½J |
| | 225/45ZRF18 | 95 | W | - | - | XL | 7.0 | 49 | 7½J |
| | 235/45ZRF19 | 95 | W | - | - | | 7.0 | 44 | 8J |
| | 245/45ZRF18 | 100 | W | - | - | XL | 7.0 | 49 | 8J |
| 50 | 225/50ZRF17 | 98 | W | - | - | XL | 7.0 | 49 | 7J |
| 55 | * 225/55RF17 | 101 | V | - | - | XL | 7.0 | 49 | 7J |



MAXIMUS M2 **NEW**

//// //// //// //// //// //// //// //// //// //// HIGH-PERFORMANCE TYRES




| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|--------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 40 | 225/40ZR18 | 92 | W | - | - | XL | 7.0 | 49 | 8J |
| | 235/40ZR19 | 96 | W | - | - | XL | 7.0 | 49 | 8½J |
| | 245/40ZR18 | 97 | W | - | - | XL | 7.0 | 49 | 8½J |
| | 255/40ZR19 | 100 | W | - | - | XL | 7.0 | 49 | 9J |
| | * 275/40ZR21 | 107 | W | - | - | XL | 7.0 | 49 | 9½J |
| | 215/45ZR17 | 91 | W | - | - | XL | 7.0 | 49 | 7J |
| | 225/45ZR17 | 94 | W | - | - | XL | 7.0 | 49 | 7½J |
| 45 | 225/45ZR18 | 95 | W | - | - | XL | 7.0 | 49 | 7½J |
| | 225/45ZR19 | 96 | W | - | - | XL | 7.0 | 49 | 7½J |
| | 235/45ZR18 | 98 | W | - | - | XL | 7.0 | 49 | 8J |
| | 235/45ZR19 | 95 | W | - | - | | 7.0 | 44 | 8J |
| | 245/45ZR18 | 100 | W | - | - | XL | 7.0 | 49 | 8J |
| 50 | 245/45ZR19 | 102 | W | - | - | XL | 7.0 | 49 | 8J |
| | * 165/50R15 | 72 | V | - | - | | 7.0 | 44 | 5J |
| | 205/50R17 | 93 | V | - | - | XL | 7.0 | 49 | 6½J |
| | 215/50R17 | 95 | V | - | - | XL | 7.0 | 49 | 7J |
| | 225/50ZR17 | 98 | W | - | - | XL | 7.0 | 49 | 7J |
| | 235/50ZR17 | 96 | W | - | - | | 7.0 | 44 | 7½J |
| | 255/50ZR19 | 107 | W | - | - | XL | 7.0 | 49 | 8J |
| | 205/55R16 | 91 | V | - | - | | 7.0 | 44 | 6½J |
| | * 205/55R17 | 91 | V | - | - | | 7.0 | 44 | 6½J |
| | 215/55R16 | 97 | V | - | - | XL | 7.0 | 49 | 7J |
| 55 | 215/55R17 | 98 | V | - | - | XL | 7.0 | 49 | 7J |
| | 225/55R17 | 101 | V | - | - | XL | 7.0 | 49 | 7J |
| | 235/55ZR17 | 103 | W | - | - | XL | 7.0 | 49 | 7½J |
| | 185/60R16 | 86 | H | - | - | | 7.0 | 44 | 5½J |
| | * 195/60R16 | 89 | H | - | - | | 7.0 | 44 | 6J |
| | 205/60R16 | 92 | V | - | - | | 7.0 | 44 | 6J |
| 60 | 215/60R16 | 95 | H | - | - | | 7.0 | 44 | 6½J |
| | 215/60R17 | 96 | H | - | - | | 7.0 | 44 | 6½J |
| | 155/65R14 | 75 | T | - | - | | 7.0 | 44 | 4½J |
| | 185/65R15 | 88 | H | - | - | | 7.0 | 44 | 5½J |
| | 195/65R15 | 91 | H | - | - | | 7.0 | 44 | 6J |
| | 205/65R15 | 94 | H | - | - | | 7.0 | 44 | 6J |
| | 205/65R16 | 95 | H | - | - | | 7.0 | 44 | 6J |
| 65 | 215/65R16 | 102 | H | - | - | XL | 7.0 | 49 | 6½J |
| | 175/70R13 | 82 | T | RWL | - | | 7.0 | 44 | 5.00B |



MAXIMUS M1

HIGH-PERFORMANCE TYRES



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 30 | 265/30ZR19 | 93 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 275/30ZR19 | 96 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 215/35ZR18 | 84 | W | - | - | XL | 7.5 | 49 | 7½J |
| 35 | 215/35ZR19 | 85 | W | - | - | XL | 7.5 | 49 | 7½J |
| | 235/35ZR19 | 91 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/35ZR19 | 93 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 255/35ZR18 | 94 | W | - | - | XL | 7.5 | 49 | 9J |
| | 265/35ZR18 | 97 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 275/35ZR19 | 100 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 275/35ZR20 | 102 | W | - | - | XL | 7.5 | 49 | 9½J |
| 40 | 205/40ZR17 | 84 | W | - | - | XL | 7.5 | 49 | 7½J |
| | 215/40ZR17 | 87 | W | - | - | XL | 7.5 | 49 | 7½J |
| | 225/40ZR18 | 92 | W | - | - | XL | 7.5 | 49 | 8J |
| | 235/40ZR18 | 95 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 245/40ZR17 | 95 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/40ZR18 | 97 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/40ZR19 | 98 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/40ZR20 | 99 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 245/40ZR20 | 99 | Y | - | - | XL | 7.5 | 49 | 8½J |
| | 255/40ZR18 | 95 | W | - | - | | 7.5 | 44 | 9J |
| 45 | 275/40ZR17 | 98 | W | - | - | | 8.0 | 44 | 9½J |
| | 275/40ZR19 | 105 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 205/45ZR16 | 87 | W | - | - | XL | 7.5 | 49 | 7J |
| | 205/45ZR17 | 88 | W | - | - | XL | 8.0 | 49 | 7J |
| | 215/45ZR16 | 90 | W | - | - | XL | 7.5 | 49 | 7J |
| | 215/45ZR17 | 91 | W | - | - | XL | 8.0 | 49 | 7J |
| | 215/45ZR18 | 93 | W | - | - | XL | 7.5 | 49 | 7J |
| | 225/45ZR17 | 91 | W | - | - | | 8.0 | 44 | 7½J |
| | 225/45ZR17 | 94 | W | - | - | XL | 8.0 | 49 | 7½J |
| | 225/45ZR18 | 95 | W | - | - | XL | 7.5 | 49 | 7½J |
| 45 | 225/45ZR19 | 96 | W | - | - | XL | 7.5 | 49 | 7½J |
| | 235/45ZR17 | 97 | W | - | - | XL | 8.0 | 49 | 8J |
| | 235/45ZR18 | 98 | W | - | - | XL | 7.5 | 49 | 8J |
| | 245/45ZR17 | 99 | W | - | - | XL | 7.5 | 49 | 8J |
| | 245/45ZR18 | 100 | W | - | - | XL | 8.0 | 49 | 8J |
| | 245/45ZR19 | 102 | W | - | - | XL | 7.5 | 49 | 8J |
| | 255/45ZR17 | 98 | W | - | - | | 7.5 | 44 | 8½J |
| | 255/45ZR18 | 103 | W | - | - | XL | 7.5 | 49 | 8½J |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|-----------|--------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 45 | 255/45ZR19 | 104 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 195/50R15 | 82 | V | - | - | | 6.5 | 44 | 6J |
| | 195/50R16 | 88 | V | - | - | XL | 7.0 | 49 | 6J |
| | 205/50R15 | 86 | H | - | - | | 7.5 | 44 | 6½J |
| 50 | 205/50R16 | 87 | V | - | - | | 8.0 | 44 | 6½J |
| | 205/50R17 | 93 | V | - | - | XL | 8.0 | 46 | 6½J |
| | 215/50R17 | 95 | V | - | - | XL | 8.0 | 46 | 7J |
| | * 235/50ZR17 | 96 | W | - | - | | 7.5 | 44 | 7½J |
| | 245/50ZR18 | 100 | W | - | - | | 8.0 | 44 | 7½J |
| | 255/50R19 | 107 | V | - | - | XL | 8.0 | 49 | 8J |
| 55 | 155/55R14 | 69 | V | - | - | | 7.0 | 44 | 5J |
| | 165/55R14 | 72 | V | - | - | | 7.0 | 44 | 5J |
| | 175/55R15 | 77 | H | - | - | | 7.0 | 36 | 5½J |
| | 185/55R15 | 82 | V | - | - | | 7.0 | 44 | 6J |
| | 185/55R16 | 83 | H | - | - | | 7.0 | 44 | 6J |
| | 195/55R15 | 85 | V | - | - | | 8.0 | 44 | 6J |
| | 195/55R16 | 87 | V | - | - | | 7.0 | 44 | 6J |
| | 195/55R16 | 91 | H | - | - | XL | 7.0 | 49 | 6J |
| | 205/55R15 | 88 | V | - | - | | 7.5 | 44 | 6½J |
| | 205/55R16 | 91 | V | - | - | | 7.0 | 44 | 6½J |
| 60 | 205/55R17 | 91 | V | - | - | | 7.5 | 44 | 6½J |
| | 215/55R16 | 97 | V | - | - | XL | 8.0 | 49 | 7J |
| | 215/55R17 | 94 | V | - | - | | 8.0 | 44 | 7J |
| | 215/55R17 | 98 | V | - | - | XL | 8.0 | 49 | 7J |
| | 225/55R16 | 99 | V | - | - | XL | 8.0 | 49 | 7J |
| | 225/55R17 | 101 | V | - | - | XL | 8.0 | 49 | 7J |
| | 235/55R17 | 103 | V | - | - | XL | 7.5 | 49 | 7½J |
| | 175/60R15 | 81 | H | - | - | | 7.0 | 36 | 5J |
| | 185/60R14 | 82 | H | - | - | | 7.5 | 36 | 5½J |
| | 185/60R15 | 84 | H | - | - | | 6.5 | 44 | 5½J |
| 65 | 195/60R14 | 86 | H | - | - | | 7.0 | 36 | 6J |
| | 195/60R15 | 88 | H | - | - | | 7.5 | 36 | 6J |
| | 195/60R16 | 89 | H | - | - | | 7.5 | 44 | 6J |
| | 205/60R15 | 91 | H | - | - | | 8.0 | 36 | 6J |
| | 205/60R16 | 92 | H | - | - | | 7.0 | 44 | 6J |
| | 205/60R16 | 92 | V | - | - | | 7.0 | 36 | 6J |
| | 215/60R15 | 94 | H | - | - | | 7.5 | 44 | 6½J |
| | 215/60R16 | 95 | H | - | - | | 8.0 | 36 | 6½J |
| | 215/60R17 | 96 | H | - | - | | 6.5 | 36 | 6½J |
| | 225/60R16 | 98 | H | - | - | | 8.0 | 36 | 6½J |
| 225/60R17 | 99 | V | - | - | | 8.0 | 44 | 6½J | |
| 65 | 155/65R14 | 75 | T | - | - | | 7.0 | 44 | 4½J |
| | 165/65R13 | 77 | T | - | - | | 7.0 | 36 | 5.00B |
| | 175/65R14 | 82 | H | - | - | | 7.5 | 36 | 5J |
| | 175/65R15 | 84 | H | - | - | | 7.5 | 44 | 5J |
| | 185/65R14 | 86 | H | - | - | | 7.0 | 36 | 5½J |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 65 | 185/65R15 | 88 | H | - | - | | 6.5 | 36 | 5½J |
| | 185/65R15 | 88 | H | - | - | | 8.0 | 36 | 5½J |
| | 195/65R15 | 91 | H | - | - | | 7.5 | 36 | 6J |
| | 195/65R15 | 95 | H | - | - | XL | 7.5 | 42 | 6J |
| | 205/65R15 | 94 | H | - | - | | 7.0 | 36 | 6J |
| | 205/65R16 | 95 | H | - | - | | 7.0 | 44 | 6J |
| | 215/65R14 | 94 | H | - | - | | 7.5 | 44 | 6½J |
| 70 | 215/65R16 | 102 | H | - | - | XL | 8.0 | 49 | 6½J |
| | 235/65R16 | 103 | T | - | - | | 7.5 | 44 | 7J |
| | 175/70R13 | 82 | T | - | - | | 7.0 | 36 | 5.00B |
| | 175/70R14 | 84 | T | - | - | | 7.0 | 36 | 5J |
| | 185/70R14 | 88 | H | - | - | | 7.0 | 36 | 5½J |
| 75 | 185/70R14 | 92 | S | - | - | XL | 7.0 | 42 | 5½J |
| | 185/75R14 | 89 | H | - | - | | 7.5 | 44 | 5J |
| 60LT | 195/60R16C | 99/97 | S | - | 6 | | 7.5 | 51 | 6J |
| | 215/60R17C | 109/107 | N | - | 8 | | 6.5 | 65 | 6½J |
| 70LT | 165/70R13LT | 88/86 | S | - | 6 | | 7.0 | 51 | 5.00B |
| | 175/70R14LT | 95/93 | S | - | 6 | | 7.5 | 54 | 5J |



MAXIMUS DS01

ULTRA HIGH PERFORMANCE TIRE



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 35 | 265/35ZR18 | 97 | W | - | - | XL | 6.5 | 49 | 9½J |
| | 205/40ZR17 | 84 | W | - | - | XL | 6.5 | 49 | 7½J |
| 40 | 215/40ZR17 | 87 | W | - | - | XL | 6.5 | 49 | 7½J |
| | 235/40ZR18 | 95 | W | - | - | XL | 6.5 | 49 | 8½J |
| | 245/40ZR18 | 97 | W | - | - | XL | 6.5 | 49 | 8½J |
| 45 | 205/45ZR17 | 88 | W | - | - | XL | 6.5 | 49 | 7J |
| | 215/45R17 | 91 | V | - | - | XL | 6.5 | 49 | 7J |
| | 225/45ZR17 | 91 | W | - | - | | 6.5 | 44 | 7½J |
| 50 | 195/50R15 | 82 | V | - | - | | 6.5 | 44 | 6J |
| 55 | 195/55R15 | 85 | V | - | - | | 6.5 | 44 | 6J |



FORTIS T5

ULTRA HIGH-PERFORMANCE TYRES



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|--------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 30 | 235/30ZR20 | 88 | Y | - | - | XL | 8.0 | 49 | 8½J |
| | 235/30ZR22 | 90 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/30ZR20 | 95 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 245/30ZR22 | 92 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 255/30ZR22 | 95 | W | - | - | XL | 8.0 | 49 | 9J |
| | 265/30ZR22 | 97 | W | - | - | XL | 8.0 | 49 | 9½J |
| | 275/30ZR20 | 97 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 285/30R22 | 101 | V | - | - | XL | 8.0 | 46 | 10J |
| | 295/30ZR22 | 103 | W | - | - | XL | 8.0 | 49 | 10½J |
| | 225/35ZR20 | 95 | W | - | - | XL | 8.0 | 49 | 8J |
| 35 | 245/35ZR20 | 95 | Y | - | - | XL | 8.0 | 49 | 8½J |
| | 265/35R22 | 102 | V | - | - | XL | 8.0 | 46 | 9½J |
| | * 275/35ZR21 | 103 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 285/35ZR22 | 106 | W | - | - | XL | 8.5 | 49 | 10J |
| | 295/35ZR21 | 107 | W | - | - | XL | 8.0 | 49 | 10½J |
| | 295/35ZR21 | 107 | Y | - | - | XL | 8.0 | 49 | 10½J |
| | 315/35ZR20 | 110 | W | - | - | XL | 8.0 | 49 | 11J |
| | 255/40ZR20 | 101 | W | - | - | XL | 8.0 | 49 | 9J |
| | 265/40R22 | 106 | V | - | - | XL | 8.5 | 46 | 9½J |
| | 275/40ZR20 | 106 | W | - | - | XL | 8.0 | 49 | 9½J |
| 40 | 295/40ZR21 | 111 | W | - | - | XL | 8.0 | 49 | 10½J |
| | 305/40R22 | 114 | V | - | - | XL | 8.5 | 46 | 11J |
| | 255/45ZR19 | 104 | W | - | - | XL | 7.5 | 49 | 8½J |
| | 255/45ZR20 | 105 | W | - | - | XL | 8.0 | 49 | 8½J |
| | 275/45ZR21 | 110 | W | - | - | XL | 7.5 | 49 | 9J |
| | 275/45R22 | 112 | V | - | - | XL | 8.5 | 46 | 9J |
| | * 285/45ZR21 | 113 | W | - | - | XL | 7.5 | 49 | 9½J |
| | 285/45R22 | 114 | V | - | - | XL | 8.5 | 46 | 9½J |
| | 295/45ZR20 | 114 | W | - | - | XL | 8.0 | 49 | 10J |
| | 305/45ZR20 | 116 | W | - | - | XL | 8.5 | 49 | 10J |
| 50 | 305/45R22 | 118 | V | - | - | XL | 9.0 | 46 | 10J |
| | 235/50ZR19 | 99 | W | - | - | | 7.5 | 44 | 7½J |
| | 255/50ZR20 | 109 | W | - | - | XL | 7.5 | 49 | 8J |
| | 265/50R20 | 111 | V | - | - | XL | 8.5 | 46 | 8½J |
| | * 275/50ZR21 | 113 | W | - | - | XL | 7.5 | 49 | 8½J |
| 55 | 235/55R20 | 105 | H | - | - | XL | 7.5 | 49 | 7½J |
| | 275/55R20 | 117 | V | - | - | XL | 8.5 | 46 | 8½J |



MAXIMUS M9

PASSENGER CAR RADIAL



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-----------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 55 | 205/55R16 | 94 | V | - | - | XL | 9.5 | 49 | 6½J |
| | 185/60R14 | 82 | H | - | - | | 9.5 | 44 | 5½J |
| 60 | 185/60R15 | 84 | H | - | - | | 9.5 | 44 | 5½J |
| | 195/60R15 | 88 | H | - | - | | 9.5 | 44 | 6J |
| 65 | 185/65R14 | 86 | T | - | - | | 9.5 | 44 | 5½J |
| | 185/65R15 | 88 | H | - | - | | 9.5 | 44 | 5½J |
| | 195/65R15 | 91 | H | - | - | | 9.5 | 44 | 6J |
| | 205/65R15 | 94 | H | - | - | | 9.5 | 44 | 6J |
| 70 | 145/70R12 | 69 | Q | - | - | | 5.5 | 44 | 4.50B |
| | 175/70R13 | 82 | T | - | - | | 9.5 | 44 | 5.00B |
| | 175/70R14 | 84 | H | - | - | | 9.5 | 44 | 5J |
| | 185/70R13 | 86 | T | - | - | | 9.5 | 44 | 5.50B |
| | 185/70R14 | 88 | T | - | - | | 9.5 | 44 | 5½J |



SU-830

PASSENGER CAR RADIAL



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-----------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 60 | 195/60R16 | 89 | H | - | - | | 9.5 | 44 | 6J |
| 65 | 215/65R15 | 96 | H | - | - | | 8.0 | 36 | 6½J |
| | 175/70R14 | 84 | T | - | - | | 8.5 | 36 | 5J |
| | 185/70R13 | 86 | T | - | - | | 8.5 | 36 | 5.50B |
| 70 | 185/70R14 | 88 | T | - | - | | 8.5 | 36 | 5½J |
| | 195/70R14 | 91 | T | - | - | | 8.5 | 36 | 6J |
| | 205/70R14 | 95 | T | - | - | | 8.5 | 36 | 6J |
| | 205/70R15 | 96 | T | - | - | | 8.0 | 36 | 6J |
| 80 | 215/70R15 | 98 | T | - | - | | 8.0 | 36 | 6½J |
| | 165/80R13 | 83 | T | - | - | | 7.5 | 35 | 4.50B |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 60LT | 215/60R16C | 108/106 | S | - | 8 | | 8.0 | 65 | 6½J |
| | 205/65R15C | 102/100 | S | - | 6 | | 8.0 | 54 | 6J |
| 65LT | 215/65R15C | 104/102 | S | - | 6 | | 8.0 | 51 | 6½J |
| | 215/65R16LT | 109/107 | S | - | 8 | | 8.0 | 65 | 6½J |
| 70LT | 175/70R14C | 95/93 | T | - | 6 | | 7.5 | 54 | 5J |
| 80LT | 165R13C | 94/93 | S | - | 8 | | 7.5 | 65 | 4.50B |
| | 165R13LT | 94/93 | S | - | 8 | | 7.5 | 65 | 4.50B |



MUD TRAC

4X4 OFF-ROAD TYRES




| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|-------------|---------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 45LT | 33×12.50R22LT | 109 | Q | - | 10 | | 14.0 | 65 | 10J |
| | 33×12.50R20LT | 114 | Q | - | 10 | | 12.5 | 65 | 10J |
| 50LT | 35×12.50R22LT | 117 | Q | - | 10 | | 14.0 | 65 | 10J |
| | 37×13.50R24LT | 120 | Q | - | 10 | | 14.0 | 65 | 11J |
| 55LT | 285/55R22LT | 124/121 | Q | - | 10 | | 14.0 | 80 | 9J |
| | 37×13.50R22LT | 123 | Q | - | 10 | | 17.0 | 65 | 11J |
| 60LT | 33×12.50R18LT | 118 | Q | - | 10 | | 12.5 | 65 | 10J |
| | 35×12.50R20LT | 121 | Q | - | 10 | | 12.5 | 65 | 10J |
| | 37×13.50R20LT | 127 | Q | - | 10 | | 14.5 | 65 | 11J |
| 65LT | 275/65R20LT | 126/123 | Q | - | 10 | | 13.5 | 80 | 8J |
| | 33×12.50R17LT | 120 | Q | - | 10 | | 12.5 | 65 | 10J |
| | 35×12.50R18LT | 123 | Q | - | 10 | | 12.5 | 65 | 10J |
| | LT265/70R17 | 121/118 | Q | - | 10 | | 12.5 | 80 | 8J |
| 70LT | LT265/70R17 | 121/118 | Q | OWL | 10 | | 12.5 | 80 | 8J |
| | 275/70R18LT | 125/122 | Q | - | 10 | | 14.0 | 80 | 8J |
| | LT285/70R17 | 121/118 | Q | - | 8 | | 12.5 | 65 | 8½J |
| | LT305/70R16 | 118/115 | Q | - | 8 | | 13.5 | 51 | 9J |
| | 33×12.50R15LT | 108 | Q | - | 6 | | 14.0 | 36 | 10J |
| 75LT | 35×12.50R17LT | 121 | Q | - | 10 | | 14.0 | 65 | 10J |
| | LT235/75R15 | 104/101 | Q | - | 6 | | 12.5 | 51 | 6½J |
| | LT235/75R15 | 104/101 | Q | OWL | 6 | | 12.5 | 51 | 6½J |
| | 30×9.50R15LT | 104 | Q | - | 6 | | 13.5 | 51 | 7½J |
| LT245/75R16 | 120/116 | Q | - | 10 | | 12.5 | 80 | 7J | |
| | 120/116 | Q | OWL | 10 | | 12.5 | 80 | 7J | |

| Series | Size | Load index Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|---------------|----------------------------|----------------|-----|---------------|----------------|------------------|-----------------|
| 75LT | LT265/75R16 | 123/120 | Q | - | 10 | 12.5 | 80 | 7½J |
| | LT265/75R16 | 123/120 | Q | OWL | 10 | 12.5 | 80 | 7½J |
| | 31×10.50R15LT | 109 | Q | - | 6 | 13.5 | 51 | 8½J |
| | 31×10.50R15LT | 109 | Q | OWL | 6 | 13.5 | 51 | 8½J |
| | 285/75R16LT | 122/119 | Q | - | 8 | 12.5 | 65 | 8J |
| | LT315/75R16 | 121 | Q | - | 8 | 14.0 | 51 | 8½J |
| 80LT | 37×13.50R17LT | 121 | Q | - | 8 | 14.0 | 50 | 11J |
| | 185R14LT | 102/100 | Q | OWL | 8 | 12.5 | 65 | 5½J |
| | 35×12.50R15LT | 113 | Q | - | 6 | 14.0 | 36 | 10J |



SU-800

ALL TERRAIN SUV TYRES




| Series | Size | Load index Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim | |
|--------|-----------|----------------------------|----------------|----|---------------|----------------|------------------|-----------------|-----|
| 50 | 265/50R20 | 111 | S | - | - | XL | 10.5 | 49 | 8½J |
| 55 | 275/55R20 | 117 | H | - | - | XL | 10.5 | 49 | 8½J |
| 60 | 265/60R18 | 110 | H | - | - | - | 10.5 | 36 | 8J |
| | 275/60R20 | 115 | T | - | - | - | 10.5 | 44 | 8J |
| | 285/60R18 | 116 | T | - | - | - | 10.5 | 36 | 8½J |



HILL TRACKER



ALL TERRAIN SUV TYRES



| Series | Size | Load index Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim | |
|--------|---------------|----------------------------|----------------|----|---------------|----------------|------------------|-----------------|----|
| 60 | 265/60R18 | 110 | S | - | - | 14.0 | 44 | 8J | |
| | 285/60R18 | 116 | T | - | - | 14.0 | 44 | 8½J | |
| 65 | 245/65R17 | 111 | S | - | - | XL | 14.0 | 49 | 7J |
| | 265/65R17 | 112 | S | - | - | 14.0 | 44 | 8J | |
| 70 | 245/70R16 | 111 | S | - | - | XL | 14.0 | 49 | 7J |
| | 265/70R16 | 112 | S | - | - | 14.0 | 44 | 8J | |
| 50LT | 33×12.50R20LT | 114 | Q | - | 10 | 14.0 | 65 | 10J | |
| 55LT | LT275/55R20 | 120/117 | Q | - | 10 | 14.0 | 80 | 8½J | |
| 60LT | LT275/60R20 | 123/120 | S | - | 10 | 14.0 | 80 | 8J | |
| | 35×12.50R20LT | 121 | R | - | 10 | 14.0 | 65 | 10J | |
| 65LT | LT275/65R18 | 123/120 | R | - | 10 | 14.0 | 80 | 8J | |
| | LT275/65R20 | 126/123 | S | - | 10 | 14.0 | 80 | 8J | |
| | 35×12.50R18LT | 123 | R | - | 10 | 14.0 | 65 | 10J | |
| 70LT | LT245/70R17 | 119/116 | S | - | 10 | 14.0 | 80 | 7J | |
| | LT265/70R17 | 121/118 | Q | - | 10 | 14.0 | 80 | 8J | |
| | LT275/70R18 | 125/122 | R | - | 10 | 14.0 | 80 | 8J | |
| | LT285/70R17 | 121/118 | Q | - | 8 | 14.0 | 65 | 8½J | |
| 75LT | LT245/75R16 | 120/116 | Q | - | 10 | 14.0 | 80 | 7J | |
| | LT265/75R16 | 123/120 | R | - | 10 | 14.0 | 80 | 7½J | |
| | LT285/75R16 | 122/119 | Q | - | 8 | 14.0 | 65 | 8J | |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------------|--------------|---------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 65 | 235/65R17 | 104 | S | - | - | | 10.5 | 36 | 7J |
| | 265/65R17 | 112 | S | - | - | | 10.5 | 36 | 8J |
| | 265/65R17 | 112 | S | OWL | - | | 10.5 | 36 | 8J |
| | 275/65R17 | 115 | S | - | - | | 10.5 | 36 | 8J |
| | P275/65R18 | 116 | S | - | - | | 10.5 | 36 | 8J |
| | 215/70R16 | 100 | S | - | - | | 10.5 | 36 | 6½J |
| | 215/70R16 | 100 | S | OWL | - | | 10.5 | 36 | 6½J |
| | 225/70R16 | 107 | S | - | - | XL | 10.5 | 42 | 6½J |
| | 225/70R16 | 107 | S | OWL | - | XL | 10.5 | 42 | 6½J |
| | 235/70R16 | 106 | S | - | - | | 10.5 | 36 | 7J |
| 70 | 235/70R16 | 106 | S | OWL | - | | 10.5 | 36 | 7J |
| | 245/70R16 | 111 | S | - | - | XL | 10.5 | 42 | 7J |
| | 245/70R16 | 111 | S | OWL | - | XL | 10.5 | 42 | 7J |
| | 245/70R17 | 110 | S | - | - | | 9.0 | 36 | 7J |
| | 255/70R15 | 108 | S | - | - | | 10.5 | 36 | 7½J |
| | 255/70R16 | 111 | S | - | - | | 10.5 | 36 | 7½J |
| | 265/70R15 | 112 | S | - | - | | 10.5 | 36 | 8J |
| | 265/70R16 | 112 | S | - | - | | 10.5 | 36 | 8J |
| | 265/70R16 | 112 | S | OWL | - | | 10.5 | 36 | 8J |
| | 265/70R17 | 115 | S | - | - | | 10.5 | 36 | 8J |
| 75 | 275/70R16 | 114 | S | - | - | | 10.5 | 36 | 8J |
| | 225/75R15 | 102 | S | - | - | | 10.5 | 36 | 6J |
| | 245/75R16 | 111 | S | - | - | | 10.5 | 36 | 7J |
| | 245/75R16 | 111 | S | OWL | - | | 10.5 | 36 | 7J |
| | 265/75R16 | 116 | S | - | - | | 10.5 | 36 | 7½J |
| | 50LT | 33×12.50R20LT | 114 | S | - | 10 | 10.5 | 65 | 10J |
| | 60LT | 33×12.50R18LT | 118 | S | - | 10 | 10.5 | 65 | 10J |
| | 65LT | 35×12.50R20LT | 121 | S | - | 10 | 10.5 | 65 | 10J |
| | 70LT | 35×12.50R18LT | 123 | S | - | 10 | 10.5 | 65 | 10J |
| | | LT235/70R16 | 110/107 | T | - | 8 | 10.5 | 65 | 7J |
| LT245/70R17 | | 119/116 | S | - | 10 | 10.5 | 80 | 7J | |
| 255/70R15C | | 113/110 | S | - | 8 | 10.5 | 65 | 7½J | |
| 255/70R15C | | 113/110 | S | OWL | 8 | 10.5 | 65 | 7½J | |
| LT265/70R17 | | 121/118 | S | - | 10 | 10.5 | 80 | 8J | |
| LT265/70R17 | | 121/118 | S | OWL | 10 | 10.5 | 80 | 8J | |
| LT215/75R15 | | 100/97 | S | - | 6 | 11.5 | 51 | 6J | |
| LT215/75R15 | | 100/97 | S | OWL | 6 | 11.5 | 51 | 6J | |
| 27×8.50R14LT | | 95 | Q | - | 6 | 9.5 | 51 | 7J | |
| 75LT | 225/75R15C | 110/108 | S | - | 6 | 10.5 | 54 | 6J | |
| | LT225/75R16 | 118/116 | S | - | 10 | 10.5 | 76 | 6J | |
| | LT235/75R15 | 104/101 | S | - | 6 | 11.5 | 51 | 6½J | |
| | LT235/75R15 | 104/101 | S | OWL | 6 | 11.5 | 51 | 6½J | |
| | 30×9.50R15LT | 104 | S | - | 6 | 10.5 | 51 | 7½J | |
| | LT245/75R16 | 120/116 | S | - | 10 | 10.5 | 80 | 7J | |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|---------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 75LT | LT245/75R16 | 120/116 | S | OWL | 10 | | 10.5 | 80 | 7J |
| | LT265/75R16 | 123/120 | S | - | 10 | | 10.5 | 80 | 7½J |
| | 31×10.50R15LT | 109 | S | - | 6 | | 10.5 | 51 | 8½J |
| 80LT | LT285/75R16 | 122/119 | S | - | 8 | | 10.5 | 65 | 8J |
| | 205R14LT | 107/105 | Q | - | 8 | | 11.0 | 65 | 6J |
| | 205R16LT | 110/108 | Q | - | 8 | | 10.5 | 65 | 6J |
| 85LT | 205/80R16C | 110/108 | S | - | 8 | | 10.5 | 65 | 6J |
| | 205/80R16C | 110/108 | S | OWL | 8 | | 10.5 | 65 | 6J |
| 85LT | 235/85R16LT | 120/116 | Q | - | 10 | | 10.5 | 80 | 6½J |



SIERRA S6

////// CITY SUV TYRES



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 30 | 285/30ZR20 | 99 | W | - | - | XL | 7.5 | 49 | 10J |
| 35 | 255/35ZR20 | 97 | W | - | - | XL | 8.5 | 42 | 9J |
| 40 | * 305/40R20 | 112 | V | - | - | XL | 7.5 | 49 | 11J |
| | 235/45ZR20 | 100 | W | - | - | XL | 8.0 | 49 | 8J |
| 45 | 245/45R20 | 99 | V | - | - | | 8.0 | 44 | 8J |
| | 265/45ZR20 | 104 | W | - | - | | 8.0 | 44 | 9J |
| | 265/45ZR21 | 104 | W | - | - | | 8.5 | 44 | 9J |
| 50 | 275/45R20 | 110 | V | - | - | XL | 7.5 | 42 | 9J |
| | 215/50R18 | 96 | V | - | - | XL | 7.5 | 49 | 7J |
| | 225/50R18 | 95 | V | - | - | | 7.5 | 44 | 7J |
| | 235/50R18 | 101 | V | - | - | XL | 7.5 | 46 | 7½J |
| | 235/50R20 | 104 | V | - | - | XL | 7.0 | 49 | 7½J |
| | 245/50R20 | 102 | V | - | - | | 7.5 | 44 | 7½J |
| | 275/50ZR20 | 109 | W | - | - | | 7.5 | 44 | 8½J |
| | 285/50R20 | 116 | V | - | - | XL | 7.5 | 49 | 9J |
| | 215/55R18 | 95 | H | - | - | | 8.0 | 36 | 7J |
| | 215/55R18 | 99 | H | - | - | XL | 8.0 | 49 | 7J |
| 55 | 225/55R18 | 98 | V | - | - | | 8.5 | 44 | 7J |
| | 225/55R19 | 99 | V | - | - | | 7.5 | 44 | 7J |
| | 235/55R18 | 100 | V | - | - | | 8.5 | 44 | 7½J |
| | 235/55R19 | 101 | V | - | - | | 7.5 | 44 | 7½J |
| | 245/55R19 | 103 | H | - | - | | 7.5 | 36 | 7½J |
| | 255/55R18 | 105 | V | - | - | | 8.5 | 36 | 8J |
| 55 | 255/55R19 | 111 | V | - | - | XL | 7.5 | 46 | 8J |
| | 255/55R20 | 110 | H | - | - | XL | 7.5 | 49 | 8J |


| Series | Size | Load index Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim | |
|--------|-------------|----------------------------|----------------|----|---------------|----------------|------------------|-----------------|-----|
| 55 | 275/55R19 | 111 | H | - | - | 7.5 | 36 | 8½J | |
| | 225/60R17 | 99 | V | - | - | 6.5 | 44 | 6½J | |
| | 225/60R18 | 100 | V | - | - | 7.0 | 44 | 6½J | |
| | 235/60R16 | 100 | H | - | - | 8.5 | 36 | 7J | |
| | 235/60R17 | 102 | H | - | - | 7.5 | 44 | 7J | |
| 60 | 235/60R18 | 103 | H | - | - | 8.0 | 44 | 7J | |
| | 245/60R18 | 105 | H | - | - | 7.5 | 36 | 7J | |
| | 255/60R17 | 106 | H | - | - | 7.5 | 36 | 7½J | |
| | 255/60R18 | 112 | H | - | - | XL | 7.5 | 42 | 7½J |
| | 265/60R18 | 110 | H | - | - | 7.5 | 36 | 8J | |
| 65 | 275/60R20 | 114 | H | - | - | 7.5 | 36 | 8J | |
| | 285/60R18 | 116 | S | - | - | 7.5 | 44 | 8½J | |
| | 215/65R17 | 99 | H | - | - | 7.5 | 44 | 6½J | |
| | P225/65R16 | 100 | H | - | - | 8.0 | 36 | 6½J | |
| | 225/65R17 | 102 | S | - | - | 7.5 | 44 | 6½J | |
| | 235/65R17 | 104 | H | - | - | 7.5 | 36 | 7J | |
| | 235/65R18 | 106 | S | - | - | 8.0 | 36 | 7J | |
| | 245/65R17 | 111 | S | - | - | XL | 7.5 | 42 | 7J |
| | 255/65R17 | 110 | S | - | - | 7.5 | 44 | 7½J | |
| | 265/65R17 | 112 | S | - | - | 7.5 | 36 | 8J | |
| 70 | 265/65R18 | 114 | H | - | - | 7.5 | 44 | 8J | |
| | 275/65R17 | 115 | S | - | - | 8.5 | 36 | 8J | |
| | P275/65R18 | 116 | S | - | - | 7.5 | 44 | 8J | |
| | 285/65R17 | 116 | S | - | - | 8.5 | 36 | 8½J | |
| | 215/70R16 | 100 | T | - | - | 8.5 | 36 | 6½J | |
| | 215/70R17 | 101 | S | - | - | 7.5 | 44 | 6½J | |
| | 225/70R16 | 107 | S | - | - | XL | 8.5 | 42 | 6½J |
| | 235/70R16 | 106 | S | - | - | 7.0 | 36 | 7J | |
| | 235/70R16 | 106 | S | - | - | 8.5 | 36 | 7J | |
| | 245/70R16 | 107 | S | - | - | 8.5 | 36 | 7J | |
| 75 | 245/70R17 | 110 | S | - | - | 7.5 | 36 | 7J | |
| | 255/70R15 | 108 | S | - | - | 8.5 | 44 | 7½J | |
| | 255/70R16 | 111 | S | - | - | 8.5 | 36 | 7½J | |
| | 265/70R16 | 112 | S | - | - | 8.5 | 36 | 8J | |
| | 265/70R17 | 115 | S | - | - | 7.5 | 36 | 8J | |
| | 265/70R18 | 116 | S | - | - | 7.5 | 44 | 8J | |
| | 275/70R16 | 114 | S | - | - | 8.5 | 44 | 8J | |
| | 215/75R15 | 100 | S | - | - | 7.5 | 36 | 6J | |
| | 235/75R15 | 105 | S | - | - | 8.0 | 36 | 6½J | |
| | 235/75R15 | 109 | S | - | - | XL | 8.0 | 42 | 6½J |
| 45LT | 245/75R16 | 111 | S | - | - | 8.5 | 36 | 7J | |
| | 265/75R16 | 116 | S | - | - | 8.5 | 36 | 7½J | |
| | 235/45R20C | 112/110 | N | - | 8 | 8.0 | 65 | 8J | |
| 50LT | 225/50R18C | 109/107 | N | - | 8 | 7.5 | 65 | 7J | |
| 70LT | 215/70R16C | 108/106 | Q | - | 6 | 8.5 | 51 | 6½J | |
| 85LT | LT235/85R16 | 120/116 | S | - | 10 | 8.5 | 80 | 6½J | |



RELAMAX 4S



ALL-SEASONS TYRES



| Series | Size | Load index Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim | |
|--------|--------------|----------------------------|----------------|----|---------------|----------------|------------------|-----------------|-----|
| 40 | 225/40R18 | 92 | H | - | - | XL | 7.5 | 49 | 8J |
| | 225/40R18 | 92 | V | - | - | XL | 7.5 | 49 | 8J |
| | 235/40R18 | 95 | V | - | - | XL | 7.5 | 49 | 8½J |
| | 245/40R18 | 97 | V | - | - | XL | 7.5 | 49 | 8½J |
| | * 205/45ZR17 | 88 | W | - | - | XL | 7.5 | 49 | 7J |
| 45 | 215/45R17 | 91 | V | - | - | XL | 7.5 | 49 | 7J |
| | * 215/45ZR17 | 91 | W | - | - | XL | 7.5 | 49 | 7J |
| | 225/45R17 | 94 | H | - | - | XL | 7.5 | 49 | 7½J |
| | 225/45R17 | 94 | V | - | - | XL | 7.5 | 49 | 7½J |
| | 225/45ZR17 | 94 | W | - | - | XL | 7.5 | 49 | 7½J |
| 50 | 225/45R18 | 95 | V | - | - | XL | 7.5 | 49 | 7½J |
| | * 195/50R15 | 82 | V | - | - | | 7.5 | 44 | 6J |
| | 205/50R17 | 93 | V | - | - | XL | 7.5 | 49 | 6½J |
| | * 205/50ZR17 | 93 | W | - | - | XL | 7.5 | 49 | 6½J |
| | 215/50R17 | 95 | V | - | - | XL | 7.5 | 49 | 7J |
| 55 | * 215/50ZR17 | 95 | W | - | - | XL | 7.5 | 49 | 7J |
| | 225/50R17 | 98 | H | - | - | XL | 7.5 | 49 | 7J |
| | 225/50R17 | 98 | V | - | - | XL | 7.5 | 49 | 7J |
| | * 235/50R18 | 101 | V | - | - | XL | 7.5 | 49 | 7½J |
| | * 235/50ZR18 | 101 | W | - | - | XL | 7.5 | 49 | 7½J |
| 60 | 185/55R15 | 82 | H | - | - | | 7.5 | 44 | 6J |
| | 205/55R16 | 91 | V | - | - | | 7.5 | 44 | 6½J |
| | * 205/55R16 | 94 | V | - | - | XL | 7.5 | 49 | 6½J |
| | * 215/55R16 | 97 | V | - | - | XL | 7.5 | 49 | 7J |
| | 215/55R17 | 98 | V | - | - | XL | 7.5 | 49 | 7J |
| 65 | * 235/55ZR17 | 103 | W | - | - | XL | 7.5 | 49 | 7½J |
| | 185/60R14 | 82 | H | - | - | | 7.5 | 44 | 5½J |
| | 185/60R15 | 88 | H | - | - | XL | 7.5 | 49 | 5½J |
| | 195/60R15 | 88 | H | - | - | | 7.5 | 44 | 6J |
| | 215/60R16 | 95 | H | - | - | | 7.5 | 44 | 6½J |
| 70 | 215/60R17 | 96 | H | - | - | | 7.5 | 44 | 6½J |
| | * 215/60R17 | 100 | V | - | - | XL | 7.5 | 49 | 6½J |
| | 225/60R16 | 102 | H | - | - | XL | 7.5 | 49 | 6½J |
| | 225/60R17 | 99 | H | - | - | | 7.5 | 44 | 6½J |
| | 175/65R14 | 82 | H | - | - | | 7.5 | 44 | 5J |
| 75 | * 175/65R14 | 82 | T | - | - | | 7.5 | 44 | 5J |
| | 175/65R15 | 84 | T | - | - | | 7.5 | 44 | 5J |
| | 185/65R14 | 86 | T | - | - | | 7.5 | 44 | 5½J |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|--------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 65 | 185/65R15 | 88 | H | - | - | | 7.5 | 44 | 5½J |
| | 195/65R15 | 91 | H | - | - | | 7.5 | 44 | 6J |
| | * 195/65R15 | 91 | V | - | - | | 7.5 | 44 | 6J |
| | 205/65R16 | 95 | H | - | - | | 7.5 | 44 | 6J |
| | 215/65R16 | 98 | H | - | - | | 7.5 | 44 | 6½J |
| | 225/65R17 | 102 | H | - | - | | 7.5 | 44 | 6½J |
| | * 225/65R17 | 106 | V | - | - | XL | 7.5 | 49 | 6½J |
| 70 | * 165/70R14 | 81 | T | - | - | | 7.5 | 44 | 5J |
| | 175/70R14 | 84 | T | - | - | | 7.5 | 44 | 5J |
| 70LT | * 215/70R15C | 109/107 | S | - | 8 | | 7.5 | 65 | 6½J |



MK 700

COMMERCIAL L/T TYRES



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 65LT | 195/65R16C | 104/102 | S | - | 8 | | 10.0 | 69 | 6J |
| | 205/65R16C | 107/105 | S | - | 8 | | 10.0 | 69 | 6J |
| | 215/65R16LT | 109/107 | N | - | 8 | | 10.5 | 65 | 6½J |
| | 215/65R16LT | 109/107 | S | - | 8 | | 10.5 | 65 | 6½J |
| | 225/65R16C | 112/110 | S | - | 8 | | 10.5 | 65 | 6½J |
| 70LT | 235/65R16C | 115/113 | S | - | 8 | | 10.5 | 65 | 7J |
| | 175/70R14LT | 95/93 | S | - | 6 | | 8.5 | 51 | 5J |
| | 205/70R15C | 106/104 | N | - | 8 | | 10.0 | 65 | 6J |
| | 205/70R15C | 106/104 | S | - | 8 | | 10.0 | 65 | 6J |
| | 215/70R15C | 109/107 | S | - | 8 | | 10.5 | 65 | 6½J |
| 75LT | 215/70R15C | 109/107 | S | OWL | 8 | | 10.5 | 65 | 6½J |
| | 175/75R14LT | 99/98 | S | - | 8 | | 8.5 | 65 | 5J |
| | 185/75R16C | 104/102 | S | - | 8 | | 10.0 | 65 | 5J |
| | 195/75R16C | 107/105 | S | - | 8 | | 10.0 | 65 | 5½J |
| | 205/75R16C | 110/108 | S | - | 8 | | 10.5 | 65 | 5½J |
| | 215/75R16C | 113/111 | S | - | 8 | | 10.5 | 65 | 6J |
| | 215/75R16LT | 112/109 | S | - | 10 | | 10.5 | 80 | 6J |
| | 215/75R16C | 116/114 | R | - | 10 | | 10.5 | 76 | 6J |

| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|----------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 80LT | 165R14LT | 96/95 | S | - | 8 | | 7.5 | 65 | 4½J |
| | 175R13C | 97/95 | S | - | 8 | | 7.5 | 65 | 5.00B |
| | 175R13LT | 97/95 | S | - | 8 | | 7.5 | 65 | 5.00B |
| | 175R14LT | 94/92 | R | - | 6 | | 6.5 | 51 | 5J |
| | 175R14LT | 99/97 | R | - | 8 | | 6.5 | 65 | 5J |



SU-810

COMMERCIAL L/T TYRES



| Series | Size | Load index | Speed rating | SW. letters | PR | Extra load | Tread depth | Max. pressure | Standard rim |
|--------|-------------|------------|--------------|-------------|----|------------|-------------|---------------|--------------|
| 60 | 195/60R14 | 86 | H | - | - | | 9.5 | 36 | 6J |
| 65 | 155/65R13 | 73 | T | - | - | | 7.5 | 36 | 4.50B |
| | 165/70R13 | 79 | T | - | - | | 8.5 | 36 | 5.00B |
| 70 | 165/70R14 | 81 | H | - | - | | 9.5 | 36 | 5J |
| | 165/70R14 | 81 | T | - | - | | 6.0 | 36 | 5J |
| | 165/70R14 | 85 | T | - | - | XL | 6.0 | 42 | 5J |
| 70LT | 165/70R13C | 88/86 | S | - | 6 | | 8.5 | 54 | 5.00B |
| | 165/70R13LT | 88/86 | S | - | 6 | | 8.5 | 54 | 5.00B |
| | 195/70R15C | 104/102 | S | - | 8 | | 11.0 | 65 | 6J |
| | 195/70R15LT | 104/101 | S | - | 10 | | 11.0 | 80 | 6J |
| | 225/70R15C | 112/110 | S | - | 8 | | 11.5 | 69 | 6½J |
| 80LT | 155R12C | 88/86 | S | - | 8 | | 8.5 | 65 | 4.50B |
| | 155R13LT | 90/88 | S | - | 8 | | 6.0 | 65 | 4.50B |
| | 5.50R13LT | 99/97 | P | - | 12 | | 9.0 | 91 | 4.00B |
| | 185R14LT | 97/95 | S | - | 6 | | 6.5 | 51 | 5½J |
| | 185R14LT | 102/100 | T | - | 8 | | 6.5 | 65 | 5½J |
| | 185R14C | 102/100 | T | - | 8 | | 8.0 | 65 | 5½J |
| | 185R14LT | 102/100 | T | - | 8 | | 9.5 | 65 | 5½J |
| | 185R15C | 103/102 | S | - | 8 | | 10.5 | 65 | 5½J |
| | 185R15LT | 103/102 | S | - | 8 | | 10.5 | 65 | 5½J |
| | 195R14LT | 105/103 | S | - | 8 | | 6.5 | 65 | 5½J |
| 75LT | 195R14C | 106/104 | S | - | 8 | | 11.0 | 65 | 5½J |
| | 195R15LT | 106/104 | S | - | 8 | | 7.5 | 65 | 5½J |
| | 195R15LT | 106/104 | S | - | 8 | | 10.5 | 65 | 5½J |