

# MINNELL

系列产品目录 | Series Product Contents

安徽




**Tire Direct**  
La nueva generación



TIRE DIRECT



/TIRE\_DIRECT



/TIREDIRECTMX



TIRE DIRECT

MINNELL

# RADIAL P07



All Season HP



## RADIAL P07



规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type	规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type
145/70R12	69	T	12	4PR	PC	165/65R13	77	T	13	4PR	PC
175/70R12	80	T	12	4PR	PC	165/70R13	79	T	13	4PR	PC
155/65R13	73	T	13	4PR	PC	175/70R13	82	T	13	4PR	PC
155/70R13	75	T	13	4PR	PC	185/70R13	86	T	13	4PR	PC

Different pitch arrangement of the pattern  
不等节距排列

Greatly reducing resonance coefficient and effectively lowering noise, as well as contributing to enhancing tire comfort  
不仅可以大幅度的降低共振系数,有效的降低噪音,而且有利于提高轮胎舒适性。

Diversified Fine-grained Sipes and Transverse Grooves  
多样性细纹钢片、横向沟槽

In favor of improving tire drainage, maintaining better ground-holding force and increasing braking safety  
有利于提高轮胎的排水性、维持更好的抓地力、同时增加制动的安全性。



Four Longitudinal Grooves  
四条纵向沟槽

Effectively improving tire safety, ensuring high-speed driving, increasing tire drainage and wet traction  
有效的提高轮胎的安全性,确保高速行驶,同时增强轮胎的排水性和抗湿滑性。

Compound Tread Formulas  
复合胎面配方


In favor of reducing tire rolling resistance, enhancing fuel utilization and achieving energy saving & environmental friendliness  
有利于减少轮胎滚动的阻力、提高燃料的利用率、达到节能环保的效果。

规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type	规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type
165/60R14	75	H	14	4PR	PC	195/55R15	85	H	15	4PR	PC
165/65R14	79	H	14	4PR	PC	195/55R15	85	V	15	4PR	PC
165/65R14	79	T	14	4PR	PC	195/60R15	88	H	15	4PR	PC
165/70R14	81	T	14	4PR	PC	195/60R15	88	V	15	4PR	PC
175/65R14	82	H	14	4PR	PC	195/60R16	89	H	16	4PR	PC
175/65R14	82	T	14	4PR	PC	195/65R15	91	H	15	4PR	PC
175/60R14	79	T	14	4PR	PC	195/65R15	91	V	15	4PR	PC
175/70R14	84	H	14	4PR	PC	205/60R15	91	H	15	4PR	PC
175/70R14	84	T	14	4PR	PC	205/60R15	91	V	15	4PR	PC
185/60R14	82	H	14	4PR	PC	205/65R15	94	H	15	4PR	PC
185/65R14	86	H	14	4PR	PC	205/65R15	94	V	15	4PR	PC
185/65R14	86	T	14	4PR	PC	205/70R15	96	H	15	4PR	PC
185/70R14	88	H	14	4PR	PC	205/50R16	87	H	16	4PR	PC
185/70R14	88	T	14	4PR	PC	205/50R16	87	V	16	4PR	PC
195/70R14	91	T	14	4PR	PC	205/55R16	91	H	16	4PR	PC
205/70R14 XL	98	T	14	4PR	PC	205/55R16	91	V	16	4PR	PC
175/65R15	84	H	15	4PR	PC	205/60R16	92	H	16	4PR	PC
185/65R15	88	H	15	4PR	PC	205/60R16	92	V	16	4PR	PC
185/65R15	88	T	15	4PR	PC	215/60R16	95	H	16	4PR	PC
185/55R15	82	H	15	4PR	PC	215/60R16	95	V	16	4PR	PC
185/55R15	82	V	15	4PR	PC	215/65R16	98	H	16	4PR	PC
185/60R15	84	H	15	4PR	PC						
195/50R15	82	H	15	4PR	PC						
195/50R15	82	V	15	4PR	PC						

Tire Direct  
La nueva generación



# MINNELL COME L09



The S-type tire tread enhances the adhesion of the tire to the ground, shortens the braking distance, improves the handling and braking performance, and makes driving more comfortable and safer.

S型轮胎胎纹增强了轮胎对地面附着力，缩短制动距离，提高操控性和制动性，使驾驶更舒

Smooth oblique shoulder grooves enable the tire to have excellent grip and drainage, reduce driving resonance, and make driving smooth and quiet.

顺畅的斜向性胎肩沟槽，使轮胎抓地力及排水性能兼优，减少行驶共振，令行驶平稳、安静。



Unique shoulder design, smaller driving curve rate, excellent straight driving and acceleration performance, while saving more fuel, economy and environmental protection.

独特胎肩设计，更小的行驶曲面率，提供出色的直线行驶和加速性能，同时更加节省燃油，经济环保。

Three straight grooves and wide conical auxiliary grooves ensure the superiority of drainage performance. 9.2mm depth grooves extend the service life and comfort of tires.

三条直线沟槽以及阔圆锥状辅助沟槽确保排水性能优越性，9.2mm深度沟槽延长轮胎使用寿命及使用舒适性。

Symmetrical pattern design is flexible, practical, efficient and stable. Tread pattern groove design minimizes the noise generated by impact and friction between road surface and tire.

对称花纹设计，灵活实用，高效稳定，胎面花纹刀槽设计，把路面与轮胎冲击、摩擦产生的噪音降到的最低程度。

## COME L09



规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type	规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type
155R12LT	88/86	N	12	8PR	LT	195R15LT	106/104	R	15	8PR	LT
5.00R12LT	88/86	P	12	10PR	LT	195R15C	106/104	R	15	8PR	LT
155R13C	90/88	N	13	8PR	LT	195R15LT/BH	106/104	R	15	8PR	LT
165R13C	94/93	Q	13	8PR	LT	205/70R15C	106/104	S	15	8PR	LT
165R14C	97/95	Q	14	8PR	LT	215/70R15C	109/107	R	15	8PR	LT
175R14C	99/98	S	14	8PR	LT	225/70R15C	112/110	R	15	8PR	LT
175/75R14C	99/98	S	14	8PR	LT	225/70R15C	112/110	S	15	8PR	LT
185R14LT	102/100	R	14	8PR	LT	195/75R16C	107/105	R	16	8PR	LT
185R14LT/BH	102/100	R	14	8PR	LT	195/75R16C	107/105	S	16	8PR	LT
195R14LT	106/104	R	14	8PR	LT	195/85R16C	114/112	S	16	10PR	LT
195R14LT/BH	106/104	R	14	8PR	LT	205/65R16C	107/105	T	16	8PR	LT
195R14C/BH	106/104	R	14	8PR	LT	205/85R16C	117/115	S	16	10PR	LT
205R14C	109/107	S	14	8PR	LT	215/65R16C	109/107	S	16	8PR	LT
185R15C	103/102	S	15	8PR	LT	215/75R16C	113/111	R	16	8PR	LT
195/70R15C	104/102	R	15	8PR	LT	235/65R16C	115/113	T	16	8PR	LT

**MINNELL**

**SAFY M06**



Sports Car



**1.FOUR MAIN GROOVES DESIGN**

**四主沟设计**

Four Longitudinal grooves as the mainstream design of UHP tire, totally improve tire rapid drainage performance. 四条纵沟，为目前UHP系列轮胎的主流设计。左侧靠内侧三条宽阔主沟，实现快速排水。

**2.ASYMMETRIC PATTERN DESIGN**

**非对称花纹设计**

Inside pattern with fine and smooth features, provide comfort and low noise performance. Outside pattern with rough features, bear the handling stability and rigid. 内侧花纹细腻，提供舒适性和降噪。外侧花纹粗狂，承担超控稳定性和刚性。

**3.UNEQUAL INTERCEPT DESIGN**

**不等节距设计**

Five unequal intercept with the biggest difference array, meanwhile with different width ,greatly decrease rolling resonance , noise and early damage. (Inside with 71 blocks, out side with 63 blocks . This design is the point for this pattern which is difference from others .) 五不等节距，且最大混乱度排列。内外虽同为五节距，但宽度并不相同。内侧71块，外侧63块（一般都是内外相同，设计亮点）。最大程度降低滚动共振，减小因共振产生的噪音和早期破坏。

**4.FULL STRAIGHT LINE GROOVES DESIGN**

**全直线沟槽设计**

Vertical Renoir design with solid sence. 本方案，所有线条均为直线，刀削斧砍的感觉，立体感十足。

**5. FINE LINES DESIGN ON SHOULDERS**

**胎肩细纹设计**

Increase aesthetic feeling, improve recognition.

**6. SPECIAL COMPOUND FOR UHP TIRES.**

**UHP系列轮胎专用配方**

Add white black carbon in tires , increase the handling performance, reduce rolling resistance. UHP系列专用白炭黑配方，增加抓地力，降低滚阻。



**SAFY M06**



规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type	规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type
195/50R16	84	V	16	4PR	UHP	265/65R17	112	H	17	4PR	UHP
215/55ZR16	97	W	16	4PR	UHP	195/50R18	86	V	18	4PR	UHP
215/70R16	100	H	16	4PR	UHP	205/40ZR18	86	W	18	4PR	UHP
225/55ZR16	99	W	16	4PR	UHP	215/35ZR18 XL	84	W	18	4PR	UHP
225/70R16	103	H	16	4PR	UHP	215/50R18	92	V	18	4PR	UHP
235/70R16	106	H	16	4PR	UHP	215/55ZR18	99	W	18	4PR	UHP
245/70R16	107	H	16	4PR	UHP	225/40ZR18 XL	92	W	18	4PR	UHP
205/40ZR17 XL	84	W	17	4PR	UHP	225/45ZR18 XL	95	W	18	4PR	UHP
205/45ZR17	88	W	17	4PR	UHP	225/50ZR18	99	W	18	4PR	UHP
205/50ZR17	93	W	17	4PR	UHP	225/55ZR18	102	W	18	4PR	UHP
205/55ZR17	91	W	17	4PR	UHP	225/60R18	104	V	18	4PR	UHP
215/45ZR17	91	W	17	4PR	UHP	235/40ZR18 XL	95	W	18	4PR	UHP
215/55ZR17	98	W	17	4PR	UHP	235/45ZR18 XL	98	W	18	4PR	UHP
215/60R17	96	H	17	4PR	UHP	235/50ZR18 XL	101	W	18	4PR	UHP
225/45ZR17	94	W	17	4PR	UHP	235/55ZR18 XL	104	W	18	4PR	UHP
225/50ZR17	94	W	17	4PR	UHP	235/60R18	107	V	18	4PR	UHP
225/55ZR17	101	W	17	4PR	UHP	235/65R18	110	H	18	4PR	UHP
225/60R17	99	H	17	4PR	UHP	245/40ZR18	97	W	18	4PR	UHP
225/65R17	102	H	17	4PR	UHP	245/45ZR18	100	W	18	4PR	UHP
235/45ZR17	97	W	17	4PR	UHP	245/50ZR18	100	W	18	4PR	UHP
235/50ZR17	100	W	17	4PR	UHP	255/35ZR18 XL	94	W	18	4PR	UHP
235/55ZR17 XL	103	W	17	4PR	UHP	255/40ZR18	99	W	18	4PR	UHP
235/65R17	104	H	17	4PR	UHP	255/45ZR18 XL	103	W	18	4PR	UHP
245/45ZR17 XL	99	W	17	4PR	UHP	255/50ZR18	106	W	18	4PR	UHP

**Tire Direct**  
La nueva generación



**MINNELL**

**SAFY M06-RSC  
RUN-FLAT**



**MINNELL**

**SAFY M06-RSC  
RUN-FLAT**



Sports Car

SAFY M06	225/55R16/RF	95	V	16	4PR	RUN-FLAT	235/50ZR18 XL/RF	101	W	18	4PR	RUN-FLAT
	205/45ZR17/RF	84	W	17	4PR	RUN-FLAT	235/55ZR18 XL/RF	104	W	18	4PR	RUN-FLAT
	205/45ZR17/RF	88	W	17	4PR	RUN-FLAT	235/60R18/RF	107	V	18	4PR	RUN-FLAT
	205/50ZR17/RF	89	W	17	4PR	RUN-FLAT	245/40ZR18/RF	93	W	18	4PR	RUN-FLAT
	205/55ZR17/RF	91	W	17	4PR	RUN-FLAT	245/45ZR18/RF	96	W	18	4PR	RUN-FLAT

规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type	规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type
245/50ZR18/RF	100	W	18	4PR	RUN-FLAT	275/30ZR21/RF	98	W	21	4PR	RUN-FLAT
255/35ZR18 XL/RF	94	W	18	4PR	RUN-FLAT	275/35ZR21/RF	103	W	21	4PR	RUN-FLAT
255/45ZR18 XL/RF	103	W	18	4PR	RUN-FLAT	275/40ZR21/RF	107	W	21	4PR	RUN-FLAT
255/50ZR18/RF	106	W	18	4PR	RUN-FLAT	275/45ZR21/RF	107	W	21	4PR	RUN-FLAT
255/55R18/RF	105	V	18	4PR	RUN-FLAT	285/35ZR21/RF	101	W	21	4PR	RUN-FLAT
275/40ZR18/RF	99	W	18	4PR	RUN-FLAT	315/35ZR21/RF	111	W	21	4PR	RUN-FLAT
285/35ZR18/RF	101	W	18	4PR	RUN-FLAT	325/30ZR21/RF	104	W	21	4PR	RUN-FLAT
225/35ZR19 XL/RF	88	W	19	4PR	RUN-FLAT	275/40ZR22/RF	107	W	22	4PR	RUN-FLAT
225/40ZR19/RF	89	W	19	4PR	RUN-FLAT	315/35ZR22/RF	108	W	22	4PR	RUN-FLAT
225/45ZR19/RF	96	W	19	4PR	RUN-FLAT						

**Tire Direct**  
La nueva generación



**MINNELL**

**TUGH A99**



## TUGH A99

规格 Size	负荷指数 Li	速度级别 Speed	尺寸 Inch	层级 Level	类型 Type
215/75R15	100	T	15	4PR	AT
215/75R15LT	100/97	S	15	6PR	AT
235/75R15LT	104/101	S	15	6PR	AT
235/75R15LT/BZ	104/101	S	15	6PR	AT
235/75R15	105	T	15	4PR	AT
31X10.50R15LT	109	S	15	6PR	AT
235/85R16LT	120/116	S	16	10PR	AT
245/75R16LT	120/116	S	16	10PR	AT
245/70R16LT	118/115	S	16	10PR	AT
265/75R16LT/BZ	123/120	S	16	10PR	AT
265/75R16LT	123/120	S	16	10PR	AT
265/70R17LT/BZ	121/118	S	17	10PR	AT
265/70R17LT	121/118	S	17	10PR	AT

**Tire Direct**  
La nueva generación